

Field 조직공학

Name Kim, Soon Hee

■Title 조교수

■Office 한림중개의과학연구원 415호

•Tel 033-248-2509

email shkim@hallym-ac-kr

I Educational background

2006 – 2009 : Advanced Organic Materials Engineering, Chonbuk National University (Ph.D.)

2004 – 2006 : Advanced Organic Materials Engineering, Chonbuk National University (M.S.)

1999 - 2004 : PolymerNano Science & Technology, Chonbuk National University (B.S.)

Major careers

2014 - 2016: Research Fellow, Wake Forest Institute for Regenerative Medicine, Wake Forest School of Medicine, Winston-Salem, NC, USA

2012 - 2014: Research Assistant Professor, Cell Therapy Center, Ajou University Medical Center, Suwon, Gyonggi-do, South Korea

2009.10 - 2012: Research Fellow, Division of Hematology-Oncology, Center for Molecular Imaging, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA, USA

2004 - 2005 : Research Assistant, Biomaterials & Tissue Engineering Laboratory, Korea Research Institute of Chemical Technology (KRICT), Daejeon, South Korea

Studies & Books

■논문

[1] Kim SH, Yeon YK, Lee JM, Chao JR, Lee YJ, Seo YB, et al. Precisely printable and biocompatible silk fibroin bioink for digital light processing 3D printing. Nature communications 2018;9:1620.

[2] Park HJ, Kim SH(Co-1st), Ju HW, Lee H, Lee Y, Park S, et al. Microplasma Jet Arrays as a Therapeutic Choice for Fungal Keratitis. Scientific reports 2018:8:2422.

[3] Yeon YK, Park HS, Lee JM, Lee JS, Lee YJ, Sultan MT, Seo YB, Lee OJ, <u>Kim SH</u>. Park CH, New concept of 3D printed bone clip (polylactic acid/hydroxyapatite/silk composite) for internal fixation of bone fractures. Journal of Biomaterials Science, Polymer Edition 2018;29:894–906.

[4] Sultan MT, Jeong JY, Seo YB, Lee OJ, Ju HW, Park HJ, Lee YJ, Lee JS, <u>Kim SH</u>, Park CH, Fabrication and characterization of the porous duck's feet collagen sponge for wound healing applications. Journal of Biomaterials Science, Polymer Edition 2018;29:960-71.

[5] Kim SH, Lee HJ, Yoo J-C, Park HJ, Jeong JY, Seo YB, Sultan MT, <u>Kim SH</u>, Lee OJ, Park CH, Novel transparent collagen film patch derived from duck's feet for tympanic membrane perforation. Journal of Biomaterials Science, Polymer Edition 2018;29:997-1010.

[6] Seo YB, Lee OJ, Sultan MT, Lee JM, Park YR, Yeon YK, Lee JS, Lee YJ, <u>Kim SH</u>, Park CH, In vitro and in vivo evaluation of the duck's feet collagen sponge for hemostatic applications. Journal of biomaterials applications 2017;32:484-91.

[7] Lee JM, Sultan MT, Kim SH, Kumar V, Yeon YK, Lee OJ, et al. Artificial auricular cartilage using silk fibroin and polyvinyl alcohol hydrogel. International journal of molecular sciences 2017;18:1707.

[8] Kim HJ, Lee S, Yun H-W, Yin XY, <u>Kim SH</u>, Choi BH, et al. In vivo degradation profile of porcine cartilage-derived extracellular matrix powder scaffolds using a non-invasive fluorescence imaging method. Journal of Biomaterials Science, Polymer Edition 2016;27:177-90.

[9] <u>Kim SH</u>, Song JE, Lee D, Khang G. Development of poly (lactide-co-glycolide) scaffold impregnated small intestinal submucosa with pores that stimulate extracellular matrix production in disc regeneration. Journal of tissue engineering and regenerative medicine 2014;8:279-90.

- [10] Chung JE, Tan S, Gao SJ, Yongvongsoontorn N, <u>Kim SH</u>, Lee JH, et al. Self-assembled micellar nanocomplexes comprising green tea catechin derivatives and protein drugs for cancer therapy. Nature nanotechnology 2014;9:907.
- [11] Ashitate Y, Hyun H, <u>Kim SH</u>, Lee JH, Henary M, Frangioni JV, et al. Simultaneous mapping of pan and sentinel lymph nodes for real-time image-guided surgery. Theranostics 2014;4:693.
- [12] Owens EA, Hyun H, <u>Kim SH</u>, Lee JH, Park G, Ashitate Y, et al. Highly charged cyanine fluorophores for trafficking scaffold degradation. Biomedical Materials 2013;8:014109.
- [13] Kim SH, Park G, Hyun H, Lee JH, Ashitate Y, Choi J, et al. Near-infrared lipophilic fluorophores for tracing tissue growth. Biomedical materials 2013;8:014110
- [14] Kim SH, Lee JH, Hyun H, Ashitate Y, Park G, Robichaud K, et al. Near-infrared fluorescence imaging for noninvasive trafficking of scaffold degradation. Scientific reports 2013;3:1198.
- [15] Choi HS, Gibbs SL, Lee JH, <u>Kim SH</u>, Ashitate Y, Liu F, et al. Targeted zwitterionic near–infrared fluorophores for improved optical imaging. Nature biotechnology 2013;31:148.
- [16] <u>Kim SH</u>, Song JE, Lee D, Khang G. Demineralized bone particle impregnated poly (I-Lactide-co-Glycolide) scaffold for application in tissue-engineered intervertebral discs. Journal of Biomaterials Science, Polymer Edition 2012;23:2153-70.
- [17] Hyun H, Bordo MW, Nasr K, Feith D, Lee JH, <u>Kim SH</u>, et al. cGMP-Compatible preparative scale synthesis of near-infrared fluorophores. Contrast media & molecular imaging 2012;7:516-24.
- [18] Ashitate Y, Kim SH(Co-1st). Tanaka E, Henary M, Choi HS, Frangioni JV, et al. Two-wavelength nearinfrared fluorescence for the quantitation of drug antiplatelet effects in large animal model systems. Journal of vascular surgery 2012;56:171-80.
- [19] Choi HS, Nasr K, Alyabyev S, Feith D, Lee JH, <u>Kim SH</u>, et al. Synthesis and in vivo fate of zwitterionic near-infrared fluorophores. Angewandte Chemie International Edition 2011;50:6258–63.
- [20] Kim S-J, Hong H-H, Kim S-H, Kim H-L, Kim S-H, Khang G-S. Reduction of inflammatory reaction of PLGA using fibrin; in vivo study. Polymer Korea 2010;34:63-8.
- [21] Kim MH, Hong HN, Hong JP, Park CJ, Kwon SW, <u>Kim SH</u>, et al. The effect of VEGF on the myogenic differentiation of adipose tissue derived stem cells within thermosensitive hydrogel matrices. Biomaterials 2010;31:1213-8.
- [22] Choi HS, Ashitate Y, Lee JH, Kim SH, Matsui A, Insin N, et al. Rapid translocation of nanoparticles from the lung airspaces to the body. Nature biotechnology 2010;28:1300.
- [23] So J-W, Jang J-W, Kim S-H, Kim G-A, Choi J-H, Rhee J-M, et al. Preparation and Release Behavior of Ipriflavone-Loaded PLGA Microsphere for Tissue Engineered Bone. Polymer Korea 2009;33:26-32.
- [24] Oh A, Kim S-H, Kim Y-T, Jeon N-R, Yang J-C, Lee S-J, et al. A study on proliferation and phenotypical stability of Schwann cell on keratin/PLGA film. Polymer Korea 2009;33:118-23.
- [25] Jang J-W, Baek M-O, Kim S-H, Choi J-H, Yang J-C, Hong H-H, et al. Preparation and characterization of sponge using demineralized bone particle. Polymer Korea 2009;33:104-10.
- [26] <u>Kim SH</u>, Jang JW, Jung SH, Choi JH, Ha HJ, Rhee JM, et al. Chondrogenesis of Rat Bone Marrow Stromal Cells in Transforming Growth Factorbeta 1 Loaded Alginate Bead in In Vivo. TISSUE ENGINEERING AND REGENERATIVE MEDICINE 2008;5:650-9.
- [27] Yoon SJ, <u>Kim SH</u>, Ha HJ, Ko YK, So JW, Kim MS, et al. Reduction of Inflammatory Reaction of Poly (D, L-Lactic-C o-Glycolic Acid) Using Demineralized Bone Particles. Tissue Engineering Part A 2008;14:539-47.
- [28] So J-W, Jang J-W, Kim S-H, Choi J-H, Rhee J-M, Min B-H, et al. The effect of pore sizes on poly (L-lactide-co-glycolide) scaffolds for annulus fibrosus tissue regeneration. Polymer Korea 2008;32:516-22.
- [29] Sha'Ban M, Yoon SJ, Ko YK, Ha HJ, <u>Kim SH</u>, So JW, et al. Fibrin promotes proliferation and matrix production of intervertebral disc cells cultured in three-dimensional poly (lactic-co-glycolic acid) scaffold. Journal of Biomaterials Science, Polymer Edition 2008;19:1219-37.
- [30] Sha'Ban M, Kim SH, Idrus RB, Khang G. Fibrin and poly (lactic-co-glycolic acid) hybrid scaffold promotes early chondrogenesis of articular chondrocytes: an in vitro study. Journal of orthopaedic surgery and research 2008;3:17.
- [31] Oh A, <u>Kim S-H</u>, Lee S-J, Yoo JJ, Dyke Mv, Rhee JM, et al. Preparation and characterization of PLGA scaffold impregnated keratin for tissue engineering application. Polymer Korea 2008;32:403-8.
- [32] Munirah S, Kim S, Ruszymah B, Khang G. The use of fibrin and poly (lactic-co-glycolic acid) hybrid scaffold for articular cartilage tissue engineering: an in vivo analysis. Eur Cell Mater 2008;15:e52.
- [33] Lim J-Y, <u>Kim S-H</u>, Kang G-S, Rhee JM. Preparation and characterization of tissue engineered scaffold using porcine small intestinal submucosa and hyaluronic Acid. Polymer Korea 2008;32:415-20.

[34] Ko Y-K, Jeong J-S, <u>Kim S-H</u>, Lim J-Y, Rhee J-M, Kim M-S, et al. Effect of 2-D DBP/PLGA hybrid films on attachment and proliferation of intervertebral disc cells. Polymer Korea 2008;32:109-15.

[35] Ko Y-K, Choi M-K, Kim S-H, Kim G-A, Lee H-B, Rhee J-M, et al. Sustained release of proteins using small intestinal submucosa modified PLGA scaffold. Polymer Korea 2008;32:199-205.

[36] Kim C-M, Kim S-H, Oh A, Kim G-A, Lee I-W, Rhee J-M, et al. Preparation and BDNF release profile of BDNF-loaded PLGA scaffolds for tissue engineered nerve regeneration. Polymer Korea 2008;32:529–36.

[37] Kim C-M, Kim S-H, Kim S-H, Kim S-H, Kim S-H, Kim S-H, Kim S-W, Lee I-W, Kim M-S, et al. The effect of transplantation of Schwann cell and SIS sponge on the injured peripheral nerve regeneration. Polymer Korea 2008;32:49-55.

[38] Ha H-J, <u>Kim S-H</u>, Yoon S-J, Park S-W, So J-W, Kim M-S, et al. Evaluation of various scaffolds for tissue engineered biodisc using annulus fibrosus cells. Polymer Korea 2008;32:26-30.

[39] Cho MH, Kim KS, Ahn HH, Kim MS, <u>Kim SH</u>. Khang G, et al. Chitosan gel as an in situ - .forming scaffold for rat bone marrow mesenchymal stem cells in vivo. Tissue Engineering Part A 2008;14:1099–108.

[40] Ko Y-K, <u>Kim S-H</u>, Jeong J-S, Park J-S, Lim J-Y, Kim M-S, et al. Preparation and characterization of hyaluronic acid loaded PLGA scaffold by emulsion freeze-drying method. Polymer Korea 2007;31:505-11.

[41] Ko Y-K, <u>Kim S-H</u>, Jeong J-S, Ha H-J, Yoon S-J, Rhee J-M, et al. Biodisc tissue-engineered using PLGA/DBP hybrid scaffold. Polymer Korea 2007;31:14-9.

[42] Ko YK, Kim SH, Ha HJ, Yoon SJ, Rhee JM, Kim MS, et al. Hybrid type of tissue engineered biodisc using annulus fibrosus seeded PLGA scaffold and nucleus pulposus seeded MPEG-PCL hydrogel: Preliminary study. Key Engineering Materials: Trans Tech Publ; 2007. p. 173-6.

[43] <u>Kim SH</u>, Ha HJ, Ko YK, Yoon SJ, Rhee JM, Kim MS, et al. Correlation of proliferation, morphology and biological responses of fibroblasts on LDPE with different surface wettability. Journal of Biomaterials Science, Polymer Edition 2007;18:609–22.

[44] Kim SH, Choi BS, Ko YK, Ha HJ, Yoon SJ, Rhee JM, et al. The characterization of PLGA/small intestinal submucosa composites as scaffolds for intervertebral disc. Key Engineering Materials: Trans Tech Publ; 2007. p. 389–92.

[45] Kim MS, Shin YN, Cho MH, <u>Kim SH</u>, Kim SK, Cho YH, et al. Adhesion behavior of human bone marrow stromal cells on differentially wettable polymer surfaces. Tissue engineering 2007;13:2095–103.

[46] Lee M-S, Yang J-C, Kim S-H, Song I-B, Kim M-S, Khang G-S, et al. Preparation and characterization of small intestinal submucosa coated with poly (vinyl alcohol) for wound dressing. Polymer Korea 2006;30:259-65.

[47] Kim S-K, Hyun H, <u>Kim S-H</u>, Yoon S-J, Kim M-S, Rhee J-M, et al. Osteogenic differentiation of bone marrow stem cells using thermo-sensitive hydrogels. Polymer Korea 2006;30:196-201.

[48] <u>Kim SH</u>, Yun SJ, Jang JW, Kim MS, Khang G, Lee HB. Effects of SIS/PLGA porous scaffolds and muscle-derived stem cell on the formation of tissue engineered bone. Polymer Korea 2006;30:14-21.

[49] Kim SH, Yoon SJ, Choi B, Ha HJ, Rhee JM, Kim MS, et al. Evaluation of various types of scaffold for tissue engineered intervertebral disc. Tissue Engineering: Springer; 2006. p. 167–81.

[50] Kim M, Kim SK, <u>Kim SH</u>, Hyun H, Khang G, Lee HB. In vivo osteogenic differentiation of rat bone marrow stromal cells in thermosensitive MPEG - .PCL diblock copolymer gels. Tissue engineering 2006;12:2863-73.

[51] Yang DH, Yoon GH, Shin GJ, <u>Kim SH</u>, Rhee JM, Khang G, et al. Surface and chemical properties of surface-modified UHMWPE powder and mechanical and thermal properties of its impregnated PMMA bone cement V. Effect of silane coupling agent on the surface modification of UHMWPE powder. Macromolecular research 2005;13:120-7.

[52] Yang DH, Yoon GH, <u>Kim SH</u>, Rhee JM, Kim YS, Khang G. Surface and chemical properties of surface-modified UHMWPE powder and mechanical and thermal properties of it impregnated PMMA bone cement, III: effect of various ratios of initiator/inhibitor on the surface modification of UHMWPE powder. Journal of Biomaterials Science, Polymer Edition 2005;16:1121-38.

[53] Park KS, Jin CM, Yun SJ, Hong KD, Kim SH, Kim MS, et al. Effects of SIS Sponge and Bone marrow-derived stem cells on the osteogenic differentiation for tissue engineered bone. Polymer Korea 2005;29:501-7.

[54] Park KS, Jin CM, <u>Kim SH</u>, Rhee JM, Khang G, Han CW, et al. Chondrogenic differentiation of bone marrow stromal cells in transforming growth factor- β 1 loaded alginate bead. Macromolecular research 2005;13:285-92.

[55] Kwon SY, Kim WY, Lee DY, Kim SH, Han CW, Khang GS. Chondrogenic Differentiation of Human Bone Marrow-Derived Mesenchymal Stem Cells in PGA Polymeric Scaffolds. Journal of Korean Orthopaedic Research Society 2005;8:76-85.

[56] Kim MS, Hong KD, Shin HW, <u>Kim SH</u>, Kim SH, Lee MS, et al. Preparation of porcine small intestinal submucosa sponge and their application as a wound dressing in full-thickness skin defect of rat. International journal of biological macromolecules 2005;36:54-60.

[57] Hong KD, Seo KS, Kim SH, Kim SK, Khang G, Shin HS, et al. Preparation and release behavior of albumin-loaded PLGA scaffold by ice particle leaching method. Polymer Korea 2005;29:282-7.

[57] Hong KD, Seo KS, Kim SH, Kim SK, Khang G, Shin HS, et al. Preparation and release behavior of albumin-loaded PLGA scaffold by ice particle leaching method. Polymer Korea 2005;29:282-7.

[58] Yang DH, Yoon GH, <u>Kim SH</u>, Rhee JM, Khang G. Surface and chemical properties of surfacemodified UHMWPE powder and mechanical properties of self curing PMMA bone cement containing UHMWPE powder I. Effect of MMA/Xylene contents on surface modification of UHMWPE. Polymer Korea 2004;28:77–85.

■ 리뷰 & 저서

[1] <u>Kim SH</u>, Choi J, Ha Y, Lee JH, Khang G, Choi HS, Noninvasive Imaging of Tissue-Engineered Scaffolds, International Journal of Tissue Regeneration, 2014;5(1):1~8. (Review)

[2] A Manual for Differentiation of Bone Marrow-derived Stem Cells to Specific Cell Types: World Scientific. 2014

- <u>Kim SH</u>, Choi K-H, Min B-H. Protocol of Chondrogenesis from BMSC on a Porcine Chondrocytes-Derived Extracellular Matrix Scaffold. p.33-40.
- Kim SH, Khang G. Protocol of Chondrogenesis from BMSCs using TGF-β Loaded Alginate Bead. p.17-24.
- Song JE, Kim EY, Kim SH, Khang G. Protocol of Chondrogenesis from Human BMSCs by Pellet Culture. p.25-31.
- Song JE, Kim SH, Kim CM, Khang G. Protocol of Schwann Cell Differentiation of BMSC by Direct Co-culture Method Using Insert System. p.119-25.

[3] <u>Kim SH</u>, Min B-H. A new era of cartilage repair using cell therapy and tissue engineering: turning current clinical limitations into new ideas. Tissue Engineering and Regenerative Medicine 2012;9:240-8. (Review)

[4] Min BH, Kim SH, Part III, Chapter 28, Regeneration of cartilage, In: Tissue Engineering Techniques in Experiments of Tissue Engineering & Regenerative Medicine, edited by Tissue Eng. Regen. Med., Jayoo Academy, 196-202 (2012).

[5] Khang G, Jung YS, <u>Kim SH</u>, Kim MS, Lee HB. Delivery system of bioactive molecules for regenerative medicine. NanoScience in Biomedicine: Springer; 2009. p. 347-68.

[6] Khang G, <u>Kim SH</u>, Rhee JM, Sha'Ban M, Idrus RBH. Synthetic/natural hybrid scaffold for cartilage and disc regenerations. Biomaterials in Asia: World Scientific; 2008. p. 207-21.

[7] Khang G, <u>Kim SH</u>, Kim MS, Lee HB. Hybrid, composite, and complex biomaterials for scaffolds. Principles of Regenerative Medicine: Elsevier; 2008. p. 636-55.

[8] Khang G, Kim SH, Lee HB. Protocol for Solvent-Casting/Salt-Leaching Method. A Manual For Biomaterials/Scaffold Fabrication Technology: World Scientific; 2007. p. 13-24.